

Mauldin Machine Inc.

Dealers in New and Used Industrial Metal Working Machinery

Serving Industry for over 25 Years

STOCKLIST - - - March, 2009

Phone:(501) 835-5494 Fax:(501) 835-5499 Email: sales@mauldinmachine.com Website: www.mauldinmachine.com
Toll Free: 1-866-866-5766

CNC-MILLING

MACHINING SYSTEMS HMC40 Horizontal Machining Center, New 1997, 28" x 28" Table, 4 Pallet System, 40"-X, 40"-Y, 28"-Z, Autocon Control, 50 Taper, 48 pos ATC, In Storage, Stk#0284

MATSURA Model RA-1 Vertical Machining Center, New in 1990, X-20", T-16", Z-18", Equipped with Pallet Changer and Full Enclosure. One Owner Low Hours, Stk#2443C

MATSURA MC-760V VMC with 4th axis, 14" x 43" Table, X-28", Y-13.7", Z-18.7", BT-40, 25 ATC, Matsuura MSG control, new 1982, Stk#2419C

CNC-TURNING

EUROTECH Model E42L/B.111-M CNC Turning Center with live tooling, 1 5/8" Bar Capacity, Fanuc 18T Control, SMW Barfeed, Toolstock, New in 1997 Low Hours, Stk#2392C

HITACHI SEIKI HiTec Turn 20 RIII 2-axis CNC Turning Center, New 2000, low hours, Seicos A40L Control, Tool Eye, Collet chuck, In Plant, Stk#2495C

MAZAK Slant turn 20 ATC mill/turn center, 16 ATC, Right and straight live tooling, 19" swing, 20" length, Mazatrol T32-3 control, In plant. Stk#2472C

MIYANO JNC-35, 8" chuck, Tailstock, Fanuc 3T control, 8 position turret, chip conveyor, parts catcher, New 1984, In Plant, Stk#2303

STAR CNC Swiss Automatic Model KJR-25, New 1992, 1" Bar Cap, 7000 rpm, sub spindle, two 8 pos turrets, Magazine Bar Loader, in storage, Stk#2489C

COOLANT SYSTEM-RECOVERY SYSTEMS

SAMSCO Water Evaporator, Series 800, 126 to 160 GPM, 3000 Gal in 24 hr, Natural Gas, 316 Stainless, Stk#2484C

SANBORN / DONALDSON Coolant Recovery System Model patriot 1, Max process rate 60 GPH, max flow rate, bio-control pasteurizer, coolant mixing System, SJ-400 centrifuge. Stk#2434C

DRILLS

AMERICAN 4' X 11" "Hole Wizard" Radial Arm Drill, 60 to 3000 RPM, 12" spindle travel, No. 4 Morse taper, 5 hp, box table, new in 1960's, Stk#2350

AMERICAN 6' X 17" Column "Hole Wizard" Plain Radial Drill, w/12" Extra Column, S/N 71013-45, Power elevation on Arm, Power Clamping, Power feed of Head on Arm, Box Table, Coolant, Two speed motor for extra slow RPM's, Stock # 2247.

VEET 3' X 7" Column Radial Arm Drill, Model 3H, 75-1000 RPM, #4 Morse Taper, 2 HP, 30" x 48" Work Area, Power Downfeed, Power Elevation, w/Factory Stand, Stock # 2130

DRILLS - PRODUCTION TYPE, ALSO WITH INDEXING TABLE

BARNES Production Type Box Column Drill, 18" x 28" Table, Auto Down Feed, 10 HP, W/Wisconsin Drill Head, Stock # 2242C

BURGMASER Model 1B Turret drill, 6 pos Turret, 275 to 4010 RPM, Manual feed and auto index, 1.75 HP, 4 ea Drill chucks and 2 ea tap heads, Runs great, in Plant, Stk#2299C

BURGMASER / HOUDAILLE 2B Turret Drilling Machine, 6-Position Turret, 3/4" Capacity, 3 Drill Chuck, 3 Tapping heads, New 1977. Stk#2376

DELTA Gang Drill, 5 heads on a 6 head table, drill units are a Delta 20" Cat#20-400, step pulley drives, No 3 Morse tapers, in need of minor repair and clean up

NATCO H6 Multiple Spindle Production Type Drill, 15 Spindles, 3/4" Drives, 17" x 28" Table, 206 to 2735 RPM, 5 HP, Stk#2300

NATCO F6B Multi Spindle Drill, 3 1/2" uppers, 2" Drilling or tapping capacity, 8 Spindle, Traversing rotary table, Chip Conveyor, New in late '60's, In Storage, Stk#0261

NATCO G434 Multi Spindle Drill, 3 1/2" uppers, 2" drilling or tapping capacity, 8 Spindle, Traversing rotary table, Chip Conveyor, New in 1979, Has Had little use, In nice condition, Some tooling, In Storage, Stk#0320

ROCKWELL / DELTA Gang drill, Six (6) 20" step pulley drive drill units mounted on a 24" x 125" table, 180-2000 rpm, No 3 morse tapers, two heads with Power feed, in need of minor repairs and clean up

EARTH MOVING AND CONSTRUCTION EQUIPMENT

CAT 345 BL Series II Excavator-Crawler, New 2002, 5500 hrs, 60" Bucket, 12' 10" stick, Very Good Condition, Stk#2510C

CAT 345BL Series II, New 2002, 8500 hrs, Straight Travel Pedal, Hyd counter weight removal, runs great, Stk#2511C

CAT 953 Truck Loader, New 1986, Hydrostat Drive, Good Bottom and new paint, Stk#2514C

CAT 10,000 lb Telehandler, Model TL 1055, 55ft Lift height, 1400 hours, Very Nice condition, Stk#2509C

DEERE 850C II Dozer Tractor, New 2005, 2500 hours, Straight and tilt, Cab w/Heat & AC, 185 HP, Very clean tractor, Stk#2515C

TRAVIS 28ft Aluminum Dump Trailer, 54" sides, 96" wide, new in 2007, Air Ride, Stk#2513C

VANTAGE 39ft V-Bottom Aluminum Dump Trailer, New 1999, Air Ride, 24.5" Steel Budds, Ready to roll, Stk#2508C

FABRICATION EQUIPMENT - BRAKES AND SHEARS

BERTSCH 1" x 8ft No 14 Initial Pinch Plate Bending Rolls, Air Drive End, Power Roll Adjustment. Needs new electrical controls, Stk#2520C

NIAGARA 1/4" x 18ft Mechanical Squaring Shear, model 1018, 5/32 in stainless, foot control, In-Plant/Under Power. Stk#2444C

NIAGARA 3/8" x 12 ft Mechanical Gap Shear No 19-12, 12" Throat Depth, Manual Back Gage, Squaring Arm, In Plant, Stk#2494C

PIRANHA 50 Ton Hyd Iron Worker, 5" x 5" x 3/8" angle shear, Punch holder, front and rear controls with foot switch, new 1990's, nice machine, Stk#2471

URSVIKEN / PULLMAX 275 ton x 13ft Hydraulic Press Brake. 10' between housing, 2' horn, New in 1960, in plant, Stk#2396C

WALLACE 3" Capacity hyd Tube Bender, Mdl 502-2.13' Length, 3" x .072" Tube capacity, 1 3/4" solid round capacity, lots of tooling, In Plant, Stk#2395C

APPRAISAL SERVICE-Mauldin Machine can provide accurate appraisals on most manufacturing equipment. If you are in need of an appraisal, call our office for more details.

FINISHING EQUIPMENT

POWDER PAINT SYSTEM Complete Thru feed system and batch system, 3ft x 8ft opening, Wagner Booth with Nordson Guns. 400+ foot of conveyor, two wash systems, Stk#2521C

WHEELABRATOR Abrasive Blasting & Cleaning Unit for cleaning rolls and round stock. Equipped with skew roll feed system and reclaim system, Stk#2462C

GRINDERS - CYLINDRICAL, I.D AND O.D.

BRYANT No. 24 - 26" Hydraulic Internal Grinder, 26" Swing, 16" Length, 10 HP, from Government Storage, Stock # 2016

BRYANT No. 24 - 26" Hydraulic Internal Grinder, S/N M-9914, Stock # 2184

CINCINNATI 6" x 30" Plain Hydraulic Cylindrical Grinder, Model OE, 24" diameter, grinding wheel, 7 ½ hp, being offered as taken from service, Stk#2503

CINCINNATI 10" X 30" Universal O.D./I.D. Tool Room Grinder - Model R-75, Hydraulic Feed and Auto Cycles, Steady Rest. Coolant, Splash Guards, Excellent Condition, New in 1973. Stock # 2173.

OKAMOTO Programmable Universal Precision Cylindrical Grind Model OGM-8 20 with Internal Attachment, 8" x 20" capacity, Okamoto UDX control, New in '05, Like New. Stk#2423

SPRINGFIELD 18" Crown type vertical grinder, Face plate diameter 16", 14" stroke, 20 to 240 RPM on face plate, 5hp spindle drive, Model 1BTR, New in 1960's, Stk#2314

GRINDERS – SURFACE

6" x 18" **BOYAR-SCHULTZ** Hand Operated Surface Grinder with Fine Line 6" x 18", Permanent Magnetic Chuck, Stock # 2021

6" X 18" **CHEVALIER** Model FSG-618M, Manual Grinder, 1HP spindle, 6" x 18" Magnetic Chuck, Coolant system, Stk#2512

6" x 18" **DoALL** Hydraulic Surface Grinder, Model D-6, w/6" x 18" Electro-Magnetic Chuck and a New Variable Chuck Control, Creep Feed option on Table Travel, 7" Wheel, 1 HP Spindle, Coolant and Splash Guards. Stock # 2155

6" x 18" **K.O. LEE** Hydraulic 2 axis Surface Grinder, 8" x ¾" Grinding Wheel, 2 hp spindle, Magnetic Chuck, coolant, Stk#2496

6" x 18" **REID** Manual Surface Grinder Model 618HR, Ball Bearing Table & 6" x 18" Walker Chuck

8" x 24" **NORTON** Hydraulic Surface Grinder, 8" x 24" Permanent Magnetic Chuck, 1" Wheel, 2 HP Spindle, Coolant & Splash Guards, 1950's Machine from Government Storage, Stock # 2096

12" x 36" **GALLMEYER & LIVINGSTON** Hydraulic Surface Grinder, No. 55, 12" x 36" Electro Magnetic Chuck with Controls, 14" Wheel, Power Elevation on Wheel Head, 5 HP Spindle Motor, Coolant & Splash Guards, 50's Vintage Machine, Stock # 2075

16" x 48" **GALLMEYER & LIVINGSTON** Model 670, 16" x 48" Electro-Magnetic Chuck, Incremental DownFeed, Over the Wheel Dresser, Coolant 7.5 HP Grinding Wheel Motor. Excellent Condition. Stk#2389C

20" x 27" **Blohm** Hydraulic Surface Grinder, Incremental Down Feed, 20" x 27" Electromagnetic Chuck with Walker Controls, 12" x 1" x 3" Wheel, 20" Under New Wheel, Coolant System, Removed from a Lab of a Large Company, in Excellent Condition Stock #2262P

GRINDERS - TOOL & CUTTER, DRILL & SAW SHARPENERS, AND MISCELLANEOUS

BROWN & SHARPE #13 Universal Tool Grinder, Power Feed and Power Work Head, Collet Closer, Steady Rest, Stock # 2306

CINCINNATI Spiropoint Drill Grinder, Semi-Auto, 1/32" to 1" Capacity, Misc. Tooling, Stock # 2120

CINCINNATI NO 2 Tool & Cutter Grinder Model LL with Powered Table Traverse and Motorized Work Head, 24" Table Travel, New in 1950's, Stk#2401

ELITE Universal Tool & Cutter Grinder, Model AR5-E, Swiveling & Tilting Wheelhead, Dividing Head & Spiral Grinding Head, Coolant, Dust Collector, Nice Tooling, Stock #2157

MOTCH & MERRYWEATHER Saw Sharpener & Grinder, Model MIM-97116, 24" Blade Cap, Auto-Indexing, Stock # 2034

STANDARD Twin Spindle Tool Grinder, 10" Wheels, Tilting Tables, Wet or Dry, 1½ HP, Stock # 2035

LATHES – USED

9" x 24" **SOUTH BEND** Lathe, Table Mounted, Full Threading, Hand Operated Bed Turret, Square Turret on Cross Slide, Collet, & Some Tooling, Stk#2196

15" x 42" **LEBLOND** Lathe, Model Dual drive, 10" over cross slide, 28 to 1800 rpm, 3 & 4 Jaw Chuck, steady rest, coolant. Stk#2469C

16" x 54" **ROCKFORD** Engine Lathe, 18" Actual Swing, 48-1206 RPM, 4-Jaw Chuck, Taper Attachment, Stock # 2131

18" x 40" **MAZAK JUNIOR**, 3" Spindle Bore, All metric Lead Screw, 25 to 1500 RPM, inch/metric Threading, 3-Jaw Chuck. Stk#2379

20" x 80" **TOS** Engine Lathe, Model SU50A, New in the early 1970's, Power Rapid Traverse, New 3-Jaw Chuck, Square Tool Holder, Stock # 2043

24" x 120" **AMERICAN** Engine Lathe, 28" Actual Swing, 4-jaw chuck, taper attachment, steady rest, coolant, older machine, very good condition, Stk # 2044

28" x 72" **AMERICAN PACEMAKER** Engine Lathe, Factory raised, swings 19" over cross slide, 12 to 800 RPM, 21" 4-Jaw chuck, taper attachment, Stk#2351

28" x 72" **MONARCH** 19" Over Cross Slide, 17-700 RPM, 3-Jaw Chuck, steady rest, factory raised to 28" swing, nice, very quiet running machine, Stk#2456

38" x 17" **VDF** Engine Lathe, 4" Spindle Bore, 35" 4-Jaw, Four steady rests, 1.8 x 355 RPM, Inch/Metric, Power Rapid Traverse, In Plant-Inspect Under Power, Stk#2468C

LATHES – TURRET & PRODUCTION TYPE – AUTOMATIC

BROWN & SHARPE No. 00 "Square Base" Screw Machine, ½" Cap, 6 Position Turret, Front & Rear Slides, 8685 Max RPM, One Upper Slide, Change Gears, Stock Support

LeBLOND 13" Production Type Engine Lathe, 1200 RPM, Stock # 2047

JONES & LAMSON Model-6T Automatic Finishing Machine, 13" Swing, 2 H.P., Air Operated Chuck & Collet, Stock # 2194

MILLS-BORING-VERTICAL & HORIZONTAL

GIDDINGS & LEWIS 4" Table type horizontal boring mill, model 70-D4-T, 48" x 74" table, 60" cross travel, 48" vertical travel, No. 50 spindle taper, 20hp, DRO, Stk#2429

CINCINNATI 84" vertical boring mill, 88" max swing, 70" UR, 1-43 RPM, 2 ram heads, new in 1940's, remanufactured 1991, in plant, Stk#2478C

MILLS – HORIZONTAL

BROWN & SHARPE Rangemaster No. 20 universal sliding head type horizontal milling machine, 54" x 13" table, 28" X, No 50 Taper, New in 1969, Equipped with swiveling vertical head attachment and tooling, nice machine in very good condition, Stk#2457

KEARNEY & TRECKER No. 2 Universal Horizontal Mill, Model 205 SA, with All-Angle Vertical Head Attachment and Quill Feed, 12" x 50" Table, New in Mid 1960's, Stock # 2049

KEARNEY & TRECKER No. 3 Horizontal Mill, Model 307 S-12, with All-Angle Vertical Head Attachment, 12" x 62" Table, 7 HP Spindle, 2000 RPM, Taken from a R & D Dept., Excellent Condition, 1960's, Stock # 2050

KEARNEY & TRECKER Model 430TF20, Twin Screw, Heavy Duty Plain Horizontal Mill, New In 1971, 20" x 80" Table, 42" Long Travel, 30 h.p., Vertical Head Attachment, 2 Arbor Supports, Auto Cycle, Stock # 2249

POLAMCO (Jafo) FWD32U Horizontal Universal Mill, Independent Overarm with Universal Vertical Head, 7½ HP, 12" x 51" Table, No. 40 Mill Taper in Horizontal & Vertical Spindles, Digital Readout, Arbor Supports & Tooling, Stock # 2166

MILLS - VERTICAL

DIMCO-MILANO Model AV3, 14" x 59" Table, No. 50 Taper, 16-650 RPM, 7½ HP (6.3 KW), Power Feed and Rapids, Stock # 2053
KEARNEY & TRECKER No. 2 H Vertical Milling Machine, 10" x 50" Table, 35 to 1400 RPM, No. 50 Mill Taper, 5 HP, 30" Long. Travel, Stock # 2226
KEARNEY & TRECKER Model D, Rotary Die Maker Mill with Power Rotary Head, Stock # 2054
LAGUN Vertical Milling Machines - America's No. 1 Seller! Starting at *NEW*
SHARP Model LC-1 ½ VS, 9" x 42" table, 1 ½ HP VS Head, New in 1990's, Very Good Condition

MIXERS, BLENDERS, and DRYERS

PAUL ABBE Ball Mill, Inside Dimensions 21" x 19"L, Urethane Lining, Can be used as a Wet Pebble Mill, Stk#2473C
PATTERSON KELLY 50 CU FT Twin Shell Dry Blender, capacity 50 cu. Ft at 54 lbs/cu. Ft, Stainless Steel construction, Complete with stand, Guards, and loading platform, Stk#2322C
SIMPSON No. 1 ½ Muller Mixer, Style 4D, 10HP, Tank size 48" Dia. X 24" Deep, 2-wheels, Anti-Friction Bearings, Wheel Size 28" x 6", Tile lined crib, Stk#2474C

PRESSES-FORGING

1000 TON ERIE Hydraulic Forging Press, 48" x 48" Bed, 72" Daylight, 26" Stroke, 600 IPM, New 1989, Stk#2481C
1000 TON TMP Mechanical Forging Press w/Complete Line, Stk#2359
1300 TON AJAX Forging Press, 8" Stroke, 30 spm, 25" shut height, 30" x 30" bed, Stk#2502C
1600 TON AJAX Mechanical Forging Press, 37" x 47" Bed, 12" Stroke, 26" shut height, 51 spm, top and bottom knockouts, In Storage, Stk#2487C
1680 TON LOEWY Open Die Forging / Cogging Press w/Manipulator, 72" Stroke, 130" Daylight, 102" Between Columns, Many updates since 2001, Stk#2479C
2000 TON DYNAPAK Forging Press, Hydraulic, Model 1220 B, Serial #PEF 510V, Stock # 2061
3000 TON LAKE ERIE Forging Press, 82" Daylight, 42" Stroke, 400 IPM, Stk#2480C
3500 TON AJAX Mechanical forging press, 15" Stroke, 45 SPM, 55" x 62" die space, 48" shut height, windows, new 1975, disassembled in storage. Stk#2402C

PRESSES - HYDRAULIC

8 TON DENISON Multipress, 12" Stroke, 10" Throat, 18" Daylight, New in 1960's, On Large Stand, Stock # 2057
10 TON CLEARING, Model HG-10-20, Open Gap Hydraulic Press, 8 Ton Stripping Force, 7½ H.P. Motor, Stock # 2191
25 TON DAKE H-Frame Shop Press (Hand), Stock # 2058
25 TON ENERPAC C-Frame type hydraulic pedestal press, Stk#2519
75 TON PHI heated platen hydraulic compression press, platen size 24" x 24", 12" daylight, 600°F max temperature, double action, new '79, nice press, Stk#2328
80 TON HARTUP Stamping Trimmer Press, Model 2C-1/4-15, 15" Stroke, New in 1969, Stock # 2059
120 TON MITCHELL Hydraulic Compression Molding Press, 7' x 11" Bed, 78" Stroke, Disassembled and in storage, Stk#2219C
150 TON DAKE H Frame Hyd. Press, Model 6-650, 48" Between Uprights, 16" stroke, 30" Max Ram to Table, Air/Hyd Head, Stk#2482P, F.O.B.-Little Rock, AR
150 TON WILLIAMS WHITE 4-Post down acting hydraulic press, 16" stroke, 24" daylight, 36" L-R x 23" F-B between posts, top mounted hyd. Stk#2460
500 TON BLISS Down acting, new 1980's, 96" stroke, 208" daylight, 48" x 48" bed, 1000 IPM approach, 290 IPM pressing, disassembled and in storage, Two available. Stk#2459C
500 TON LIEN CHIEH TRICON Down acting hydraulic press, New 2002, 50" stroke, 80" daylight, 1000 IPM approach speed, 80 IPM pressing speed, 75 Ton Ejector, In plant, Very nice press. Stk#2454C
500 TON PACIFIC OBL Press, 400 ton punching capacity, 48" x 144" bed, 18" stroke, 26" daylight, New 1982, In plant. Stk#2467C
500 TON U.S.I. CLEARING Model H500-60-72, down acting, 60" x 72" Bed, 32" stroke, 48" daylight, 60" x 60" between columns, bottom ejector, new Appx 1990, In storage, Stk#2506C
500 TON VERNON, New in 1995 with Robotic Loader, 108" x 96" Bed, 30" Stroke, 76" Daylight, New controls in 2005, Nice late model press. Stk#2517C
750 TON CLEARING 6ft x 10ft Bed, 6ft stroke, 8ft daylight, new appx 1972, In storage, Stk#2507C
750 TON PH Hydraulic Down Acting Hyd Press, 108" x 108" bed and ram, 60" stroke, 84" daylight, 600 IPM rapid advance, new in 2001, last used to Produce composite car panels, very nice. Stk#2449C
804 TON EEMCO Hydraulic Housing Type Press-Upmoving-40" x 40" Bed, 18" Stroke, 35" Daylight-PLC Control. Stock# 2266
1000 TON VERNON Hydraulic Down Acting Straight Side, 192" x 100" Bed, 80" Stroke, 118" Daylight to Bolster, In Plant, Stk#2493C
1500 TON VERNON Hydraulic Down Acting, Model 1500HD-3-180-196-4, 180" x 196" Bed, 60" stroke, 96" daylight, 144" x 120" between post. New Appx 1970, In storage, Stk#2504C
1500 TON VERNON Hydraulic Down Acting, Model HD3-96-4T, 144" x 192" Bed, 48" stroke, 80" daylight, 144" x 106" between columns, New appx 1960, In storage, Stk#2505C
2000 TON CLEARING, 144" x 98" Bed, 60" Stroke, 88" Daylight, 335 IPM approach speed, 102" x 98" between posts, Ejector rams (3), Stk#2463C
3000 TON CLEARING, Big Bed Down Acting Hydraulic Press, 172" x 216" Bed, 72" Stroke, 96" Daylight, New 1972, Stk#2441
5000 TON BLISS 4-Post, 84" x 200" Bed, 48" Stroke, 132" Daylight, 84" x 100" between posts, In-Plant/Under Power. Stk#2500C
7800 TON SPS Hydraulic down moving press, last used for Hydroforming, 140" x 80" pressing area, 40" stroke, 80" daylight, New 2000, Roxroth hydraulics, Reported to have less than 500 hours use. Stk#2516C

PRESSES - HYDROFORMING

5000 TON DOMINION New approximately 2000, 44" X 60" Bed, 24" Stroke, 36" Daylight, Auto Blank Loader, Stk# 2518C
7800 TON SPS Hydraulic down moving press, last used for Hydroforming, 140" x 80" pressing area, 40" stroke, 80" daylight, New 2000, Roxroth hydraulics, Reported to have less than 500 hours use. Stk#2516C

PRESSES - MECHANICAL

40 TON BROWN BOGGS OBI Press, 1 ½" Stroke, variable speed, 100 to 400 spm, 8.5" shut height, 28" x 18.5" bed, load analyzer, new 1980's, nice press, Stk # 2302C
27 TON L & J O.B.I. Model # 3½, 3" Stroke, 8½" Shut Height, 21½ x 13" Bed Area, Air Clutch and Brake, Dual Palm Control, New in 1978, Stock # 2234
36 TON L & J O.B.I. Press, Model No 36, 3" Stroke, 9" Shut Height, 26" x 15" bed, Air clutch & Brake, up-dated control, New 1974, Stk#2374
32 TON ROUELLE OBS Model G1-32-8, 2" Stroke, 18½" Shut Height, 24" x 15" Bed Area, 70 SPM, Air Clutch and Brake, PLC Controller, Pendant Control, New in 1995, Stock # 2259
150 TON USI CLEARING OBI Press, 10" Stroke, 22" Shut Height, 5" Adjustment, 32" x 45" Bed, 35 SPM, In Plant, Stk#2371C
150 TON VERNON OBS Gap Frame Press, 8" stroke, 22" shut height, 50" x 30" bed, 35 SPM, air clutch and brake, New about 1968, Stk#2522C
150 TON VERNON Permanent Flange Press, Model 13-170, 22" x 172" Bed Area, 17" x 172" Ram Area, 3" Stroke, 12" Shut Height, 120" Between Housing, Stk#2491C

PRESSES – POWDER COMPACTING

750 TON ALPHA MODEL 750D, New 1970, In Plant, Stk#2398

2000 TON CINCINNATI Hydraulic Compacting Press, Mdl 2000-C-7 rigid reflex, 7" fill, new 1974, large, unusual press in good condition, In plant, Stk#2294C

SIMAC DENSOMATIC ISOSTATIC Powder Compacting Press, 6 Station, 20 Ton Cap. Hopper, Conveyor (3 Available), Stk#2290C

ROTARY AND INDEX TABLES & DIVIDING HEADS

14" BROWN & SHARPE Heavy Duty Universal Dividing Head, 40:1 Ratio, 10" 3-Jaw Chuck, Direct Indexing, Three Index Plates, 1.5" Thru Hole, Input Shaft for Spiral Cutting

16" PRATT & WHITNEY Tilting Manual Rotary Table, 5" Table to top of Rotary, Tilting to 90°, Stk#1993

32" HOHN & KOLB Power Tilting Rotary table, Manual and power movement on both rotary and tilting, 24" Height, 90° tilting, Stk#2378

48" GIDDINGS & LEWIS Manual Rotary Table, 12" Height, Equipped for power operation, Stk#2382

320mm (12") NIKKEN 4th axis Indexer, Model CNC 320 VFA, Gear Ratio 1:20, Vertical or Horizontal, 3" thru hole, S/N 2392, New 1990

SANDERS - BUFFERS - POLISHERS

HAMMOND 14" Polishing and Buffing Machine, 2600 RPM, 5HP, Equipped w/Wheel Guards and Dust Collector, Stk#2492

PRODUCTION MACHINE CO. Belt Type Abrasive Sander/Polisher for Mounting on Lathes, Etc., 5" Wide Belt, 15 HP, Air Tensioned, Stk#2485

SUNDSTRAND Vertical Belt Sander, Model BG-8-MT, Wet or Dry, 7 HP, Stock # 1987

TIMESAVER 36" Single head dry wide belt Sander, 36" x 8" Capacity, Feed 5-50 FPM, 30 hp, Stk#2432C

TIMESAVER 42" Single head dry wide Belt Sander, 42" x 8" Capacity, Feed 5-50 FPM, 20 hp, Stk#2433C

SAWS - NEW

DAKE JOHNSON Model JH10W3, 1" Blade, Coolant, 10" x 18" Cap. Made in America.

NEW (Plus Freight)

PARMA Vertical All-Purpose Band Saw, Work-A-Matic, Model XC,

NEW (Plus Freight)

29¼" x 18¼" Table, 12" Under Guides, ¾ HP, Wired 110/220 Volt, Made in America

SAWS - PRE-OWNED

MARVEL No. 18 Hack Saw, 18" x 18" Capacity, 3 HP, Stock # 2066

W.F. WELLS Horizontal Band Saw, Model 9L, 1" Blade, 9" Round x 16" Long Capacity, 1 HP, Stock Stand, Stock # 2114

WASHERS

BETTER ENGINEERING Cabinet type parts washer model No. 40, 37" diameter turntable basket, 20" depth wash & heat timer, 5HP pump, oil skimmer, Top load, electric heat

BETTER ENGINEERING Cabinet type parts washer model No30HD, 26" diameter turntable basket, 16" depth, oil skimmer, 2HP pump, electric heat wash & heat timer, Top load

BETTER ENGINEERING Cabinet type parts washer model Impulse II, 24" diameter turntable basket, 16" depth, 3HP pump, wash & heat timer Electric heat, top load

WOODWORKING EQUIPMENT

POWERMATIC HOUDAILLE 12" Jointer Model FS305, 5000 RPM, 3-knive, 3HP, Adjustable Infeed and Outfeed Table, Stk#2490C

DELTA 14" Radial Arm Saw Model 88-036, 5 HP, 24" Arm, 48" Wide Table, Stk#2497C

TIMESAVER 36" Single head dry wide belt Sander, 36" x 8" Capacity, Feed 5-50 FPM, 30 hp, Stk#2432C

TIMESAVER 42" Single head dry wide Belt Sander, 42" x 8" Capacity, Feed 5-50 FPM, 20 hp, Stk#2433C

MISCELLANEOUS MACHINERY

DESPATCH Walk-In Curing Oven, 500°F, 5' x 5.5' x 5.5' Inside Dimensions, Electric, Stk#2428C

EXTRUDE Hone Abrasive Flow Machine, 4" Bore, New in 1987, Stk#2498

FANUC 5 Axis LR Mate 100 Robot, 3KG Capacity, New 194, Equipped w/Robohand Gripper and Teach Pendant Control, Stk#2421

GEORGE KOCH Batch Oven, Model HCE-666, New 1997, 6' x 6' x 6' inside dimensions, 180°F, Electric, Double door, Stk#2486C

GORTON Pantograph Model 3-U, 5" x 10" Table Travel, 3,800 to 15,000 RPM, Cutter Grinder, some Tooling, Stock # 2202

HOLLIS WAVE SOLDERING SYSTEM, Model 206064, Max. Board Width, 16", Complete With conveyor & Carriers, Stock # 2190

IMS GRANULATOR Model 2031-SP, S/N 240310351, Top & Front feed, 5" x 5" throat size, 1hp, 1ph, Table mounted, Stk#2501

NATIONAL ACME Twin Spindle Threading Machine, Acme Heads, Air Clamp, Lead Screws with Change Gears, Stock # 2137

PIONEER 3-Ton Vertical pull down Broaching Machine, Model VT315, 15" Stroke, 5HP hydraulic system, Stk#2499

PRATT & WHITNEY Jig Bore, Model 1E, 10" P & W Tilting Table, Misc. Tooling, Stock # 2150

ROCKFORD 2 Ft. x 2 Ft. x 3 Ft. Open Side Hydraulic Planer/Shaper, Rail Head & Side Head, Power Rapid Traverse, 40" Stroke, Stock # 1988

SNOW TAPPER Model TA-5-RM-DD, New in late 1960's, In plant

SUPERIOR Hone, Model AL, Variable Speed to 1500 RPM, Complete with Tank, Pump, and Assortment of Mandrels

TOOLING AND ACCESSORIES

BRIDGEPORT Slotting Attachment, model E, 4" Length of stroke, 70 to 420 spm, ¼ hp, Stk#2470C

BT-40 Tool Holders-One group of approximately 200 BT-40 Tool Holders w/miscellaneous tooling and one tooling cabinet, Stk#BT-40

DUMORE No 3 Versa-Mill Multi purpose portable machining unit, Travels-Vertical 8", Horizontal 8", Cross 6", 1.5HP, Tilting Head, Stk#2410C

INTERLAKE Banding Machine, 1" Band Size, Air Operated

PERFECTO Scrap Chopper, Model 500-10, 8" x .125" Capacity, Complete w/ Mounting Bracket and Arm

NEW

RACINE Hydraulic Unit, 1000 PSI, 220/440 Volt, 40 Gallon Tank

SHEAR BLADES, 8" x 1" x 3", Holes are on 6" Centers

NEW

TRANSFORMER 9 KVA Challenger, 480/240 Volts, 3ph

TRANSFORMER 45 KVA Sorgel, 480/208-120 Volts, 3ph

INSPECTION EQUIPMENT

BROWN & SHARPE 6" Perma-Sine

BRUNSON Model 771 Jig Transit, equipped with Coincidence-Level, Optical Micrometer And Fiberglass Case, Heavy Duty Transit Stand

CAST IRON Surface Plate, 12" x 18"

CAST IRON Surface Plate, 13" x 15"

JONES & LAMSON 14" Comparator, Model BC-14, 10x & 20x Lens w/stand

MITUTOYO 12" X 24" Bench Centers & Surface Plate

RIEHLE Tensile Tester, Model D, 10,000 Lbs. Capacity

JACOBS SPINDLE NOSE LATHE CHUCKS

1 each Lathe Chuck for a L-0 Spindle Nose

1 each Lathe Chuck for a L-0 Spindle Nose, with Complete Set of Rubber Flex Collets, 1/16" to 1-3/8" Capacity Range

3 each Lathe Chucks for a L-1 Spindle Nose, with Complete Set of Rubber Flex Collets, 1/16" - 1-3/8" Capacity

3 each Lathe Chucks for a D1-6" Spindle Nose, with Complete Set of Rubber Flex Collets, 1/16" - 1-3/8" Capacity

EACH

EACH

LIQUIDATIONS & SPECIALS

COMPLETE MACHINE SHOP TO INCLUDE:

- Machinery, Land, Buildings, Offices and Warehouses located in West Central Arkansas. CALL FOR DETAILS

NEW EQUIPMENT WE ARE PROUD TO OFFER

*Beckwood Press Company/ Custom Design Hydraulic Presses

*Chevalier U.S.A. / Grinders, Mills, and Lathes

*Dake and Dake/Johnson /Hydraulic Presses and Saws

*Kingston Machine Tool Mfg. / CNC and Manual Lathes

*K.O. Lee/ American Made Surface, Tool and Cutter, and Custom Grinders

*Lagun /Quality Milling Machines

*Morrison Inc. / American Made Key Seaters

*Republic/Lagun /Lathes and Mills

*Sharp Industries/ Grinders, Milling Machines and Lathes

*Whacheon/ Quality Manual Lathes

9107 Warden Road North Little Rock, Arkansas 72120 * Phone: (501) 835-5494 Fax: (501) 835-5499

Toll Free: 1-866-TOOLROOM (866-5766) * Website: WWW.mauldinmachine.com

E-mail: mail@mauldinmachine.com